d o ^ ` b p L q O L

H86-769-82078888 H86-769-8773244
400J6789J443 ===www.ifelift.com

MMOTTQ

快意电梯

快乐运载 恒久支持
MOVING & SERVING

- A 002774
- A A A A
- 11
-
- 5 33
- 100
- 300 2000
- 1000

GRACES T2

IDCC:MALL

JKCC:MALL

PAIMERAH

BAI:HOTEL

CEJ19



SOHO



15%

5~15s,PESSRAE

L

J

J

J 1.4

J

L





DIN51130

R10 EHC I I









,

` b

MIRTEC
BETAM
CERTIFICATE OF CONFORMITY
(MANUFACTURER INTERNAL CHECK APPLICATION, According Art.12.2,Annex VIII, 2006/42/EC)
Certificate No:
Applicant/Certificate holder:
Address:
Submission date of the application:
Manufacturer:
SAME AS THE APPLICANT
Product designation:
ESCALATOR / TYPE: GRACES
Model(s):
GRACES 30-600
GRACES 35-600
GRACES 30-800
GRACES 35-800
GRACES 30-1000
GRACES 35-1000
(TECHNICAL SPECIFICATIONS IN ANNEX I)
(MOTOR POWER CONFIGURATION TABLE IN ANNEX II)
Technical file No:
EC-Directive:
MACHINERY DIRECTIVE 2006/42/EC
Applicable Standards:
EN 115-1:2017
Date & Number of Test Report:
Result of the examination - Declaration:
Essential changes of designing and manufacturing of the machine must be declared to M.I.R.T.E.C. S.A.
Place / Date of issue:
ATHENS, 28.08.2018
Validity of the certificate:
27.08.2023
For MIRTEC S.A.
Director Athens Office
Certifying department for Machinery
Inspector of lifts

` r



	PM°	PR°
do^`bp-fa	1500mm H 8000mm	1500mm H 6000mm
GRACES-III	1500mm H 8000mm	1500mm H 6000mm
GRACES-LD	1500mm H 9500mm	: :
GRACES-HD	1500mm H 18000mm	: :
T2	L 48906mm	

H EmmF L EmmF

01

02

d o ^ ` b p f f f J P M °(e ≤ S «)

d o ^ ` b p f f f J P R °(e ≤ S «)



mm

	600	800	1000
a	600	800	1000
b	837	1037	1237
c	1840	2040	2240
d	1150	1350	1550
e	1270	1470	1670
f	5182	4765	4765
g	2984	2567	2567
h	857	440	440
i	7168	6751	6751

1(R1 R2 R1 R2 kN

2(

3(: = 900m

4(

do^`bp iaJPM°(e ≤ R «)

EmmF	EmmF	EKgF	R1 EkNF	R2 EkNF	EkWF
1000	3000	6300	76	61	8
	3500	6700	80	65	
	4000	7100	84	69	11
	4500	7500	88	73	
	5000	8300	93	78	

W1KR1 R2 R1 R2 kN
======2K 3
3K : 900m
======4K
==========

EmmF	EmmF	R1 EkNF	R2 EkNF			H1 EmmF	H2 EmmF	L1 EmmF	L	

W1KR1 R2 R3 R4 R1 R2 R3 R4 kN
======2K q1Z0K0052 q2Z0K0053
======3K 3
4K : 900m
======5K
==========